



Healthy vs. Highly Processed Food: What to Know

cjcoachjami.com

Navigating the noise around processed and ultraprocessed food

Nearly 58% of calories eaten in the US and 56% of the calories consumed in the UK come from Ultra-processed foods, making them the primary energy source of those countries. The worse news is that higher consumption of ultra-processed food is associated with a 79% and 30% substantial risk of obesity and abdominal obesity, increasing the risk factor for cardiovascular disease, high blood pressure, sleep apnoea, Type 2 diabetes, musculoskeletal conditions and cancer.

Knowing what foods get grouped as ultra-processed can help us prioritize our focus for better nutrition and overall health.

The Center for Epidemiological Studies in Health and Nutrition, School of Public Health, University of Sao Paulo, Brazil, designed the NOVA Food Classification system, which helps people group foods according to the processing they experience.

The four groups are:

- Unprocessed and minimally processed,
- Processed culinary ingredients,
- Processed,
- Ultra-processed,

Use this checklist to spot the difference between minimally processed, processed, and ultra-processed foods and discover a calming sense of understanding around food labeling.

Group One: Unprocessed & Minimally Processed

Unprocessed or minimally processed foods are whole-foods with intact vitamins and nutrients, often in natural or nearly natural conditions.Unprocessed or natural foods are taken directly from plants or animals and do not get altered following their removal from nature.

Minimally processed foods get modified by removing inedible parts, drying, fermentation, crushing, roasting, boiling, freezing, or pasteurizing to make them appropriate to store and safe to ingest. That process does not add oils, fats, sugar, salt, or other substances to the original food.

The list includes fruit, vegetables, nuts, seeds, rice, grains of wheat, oats, and other cereals, dried or fresh pasta, lentils, chickpeas, beans, and other dried legumes, eggs, fish, milk, meat, 100 percent fruit juice, tea of all types, coffee, spices, dried herbs, and tap, spring, and mineral water.



Group Two: Processed Culinary Ingredients

Processed culinary ingredients are products extracted from natural foods or nature by pressing, grinding, crushing, pulverizing, and refining.

As long as they get used in moderation in culinary preparations based on natural or minimally processed foods, they can contribute to eclectic and delicious diets without rendering them nutritionally unbalanced. But some can be highly processed, such as rancid vegetable oil, or derived from low-quality sources, damaging our health. Try and choose high-quality culinary ingredients.

The list includes oils, fats such as butter, vinegar, sugars, salt, honey extracted from honeycombs, and coconut fat.



Group Three: Processed

Processed foods change from their natural state by adding salt, oil, sugar, or other enhancer substances. Processed foods often have two or three ingredients.

It can be easy to forget that freshly made, crusty artisan sourdough and canned chickpeas are still processed, containing multiple ingredients, but that doesn't necessarily make them "bad."

The list includes canned fruit in syrup, canned fish like sardine and tuna with or without added preservatives, canned or bottled legumes or vegetables preserved in salt (brine) or vinegar, or by pickling, freshly-made (unpackaged) bread, beer, cider, and wine, cured meat, bacon, and fresh cheese.



#3

Group Four: Ultra-Processed

Ultra-processed foods include substances extracted from other foods, such as fats, starches, added sugars, and hydrogenated fats. They may also contain synthetic additives like artificial colors and flavors or stabilizers. These foods include soft drinks, frozen meals, processed meat, fast food, packaged cookies, cakes, and salty snacks.

Studies show that nutrient availability in the small intestine is affected when food is ultra-processed because the food's plant properties and animal cells get altered. Destructive health issues arise when ultra-processed foods replace unprocessed and minimally processed foods that contain vital nutrients for your health. It can be easy to spot ultraprocessed foods because they usually contain numerous ingredients you'd never use in your kitchen. But repeatedly, ultra-processed foods get disguised in everyday foods we take for granted.



Ultra-processed food examples

- Fatty, sweet, savory, or salty packaged snacks.
- Biscuits (cookies).
- Ice creams and frozen desserts.
- Chocolates, candies, & confectionery in general.
- Cola, soda, and other carbonated soft drinks
- 'Energy' and sports drinks.
- Canned or packaged or dehydrated (powdered), & other 'instant' soups, noodles, sauces, desserts, drink mixes, and seasonings.
- Sweetened & flavored yogurts, including fruit yogurts.
- Dairy drinks, including chocolate milk.
- Sweetened juices.
- Margarine & spreads.
- Pre-prepared (packaged) meat, fish,& vegetables.

- Pre-prepared pizza and pasta dishes.
- Pre-prepared burgers, hot dogs, sausages.
- Pre-prepared poultry & fish 'nuggets' & 'sticks'.
- Other animal products made from remnants.
- Packaged bread, hamburgers, & hot dog buns,.
- Baked products containing ingredients such as hydrogenated vegetable fat, sugar, yeast, whey, emulsifiers, and other additives.
- Breakfast cereals and bars.
- Infant formulas and adult meal replacement shake (e.g., 'slim fast.').
- Pastries, cakes, and cake mixes.
- Distilled alcoholic beverages like whisky, gin, rum, and vodka.

And more!

A helpful way to identify an ultra-processed product is to check if its list of ingredients contains items characteristic of the ultra-processed food group (four). But you can use this checklist to identify them faster:

Does it list salt or sugar as the second ingredient in a long list of unrecognizable ingredients?

Does it contain high-fructose corn syrup?

Does it contain hydrogenated or interesterified oils?

Does it have aggressive branding and marketing throughout the store?

Does it contain additives designed to make the final product palatable or more appealing (such as flavors,

flavor enhancers, colors, emulsifiers, emulsifying salts, sweeteners, thickeners, and anti-foaming, bulking, carbonating, foaming, gelling, and glazing agents)?

Ten Healthy Swaps For Ultra-Processed Food

Swap sugary breakfast cereals for rolled oats.

Swap sweetened yogurt for plain or Greek yogurt.

Swap frozen pizza for homemade pizza.

Swap chicken nuggets for homemade crumbed chicken.

Swap sausages for lean meat.

Swap frozen sweet potato wedges for fresh sweet potato cut into wedges, sprinkled with paprika, and baked in the oven.

Swap potato chips for plain air-popped popcorn.

Swap soft drink for mineral water infused with a squeeze of lime, lemon or crushed strawberries or raspberries.

Swap mayonnaise for avocado with a squeeze of lemon.

Swap muesli and energy snack bars for mixed unsalted nuts.

The Upshot

Aim to consume mostly natural and or minimally processed foods (group one) and freshly made meals. Be wary but not fearful of processed foods (groups two and three), and always read food labels now that you know the dynamic range of good and bad foods in that group.

Avoid or limit ultra-processed foods (group four) when possible to have the most positive impact on your health and longevity. Perjési P, Pintér Z, Gyöngyi Z, Ember I. Effect of rancid corn oil on some onco/suppressor gene expressions in vivo. A short-term study. Anticancer Res. 2002 Jan-Feb;22(1A):225-30. PMID: 12017293.

Filippa Juul, Niyati Parekh, Euridice Martinez-Steele, Carlos Augusto Monteiro, Virginia W Chang, Ultra-processed food consumption among US adults from 2001 to 2018, The American Journal of Clinical Nutrition, Volume 115, Issue 1, January 2022, Pages 211–221, https://academic.oup.com/ajcn/article-abstract/115/1/211/6396017?redirectedFrom=fulltext

Rauber, F., Chang, K., Vamos, E.P. et al. Ultra-processed food consumption and risk of obesity: a prospective cohort study of UK Biobank. Eur J Nutr 60, 2169–2180 (2021). https://link.springer.com/article/10.1007/s00394-020-02367-1

Machado PP, Steele EM, Levy RB, et alUltra-processed foods and recommended intake levels of nutrients linked to non-communicable diseases in Australia: evidence from a nationally representative cross-sectional studyBMJ Open 2019;9:e029544. doi: 10.1136/bmjopen-2019-029544

Martínez Steele E, Baraldi LG, Louzada MLDC, et alUltra-processed foods and added sugars in the US diet: evidence from a nationally representative cross-sectional studyBMJ Open 2016;6:e009892. doi: 10.1136/bmjopen-2015-009892

Rico-Campà A, MartÃnez-GonzÃilez M A, Alvarez-Alvarez I, Mendonça R d D, de la Fuente-Arrillaga C, GÃ³mez-Donoso C et al. Association between consumption of ultra-processed foods and all cause mortality: SUN prospective cohort study BMJ 2019; 365 :11949 doi:10.1136/bmj.11949

Rauber F, da Costa Louzada ML, Steele EM, Millett C, Monteiro CA, Levy RB. Ultra-Processed Food Consumption and Chronic Non-Communicable Diseases-Related Dietary Nutrient Profile in the UK (2008⁻²014). Nutrients. 2018 May 9;10(5):587. doi: 10.3390/nu10050587. PMID: 29747447; PMCID: PMC5986467.